To: Pilat, David (DOEE)[david.pilat@dc.gov]

From: Seligman, Andrew

Sent: Tue 12/15/2015 6:45:10 PM

Subject: RE: DC Aquaduct 308 Washington Aqueduct.doc

Hi David,

Does this request capture the info for what you are seeking?

Thanks

Andrew F. Seligman

Environmental Scientist & Enforcement Officer

NDPES Enforcement Branch

1650 Arch Street, 3WP42

Philadelphia, Pennsylvania

19103

(215)814-2097

"The Wind and Waves are always on the side of the ablest Navigators"

Edward Gibbon, English Historian 1734-1794

"There is no education like adversity"

Benjamin Disraeli, British Prime Minister

From: Pilat, David (DOEE) [mailto:david.pilat@dc.gov]

Andrew,
Sounds good. Thank you for the update.
David Pilat
Environmental Protection Specialist
Water Quality Division
Department of Energy & Environment
Government of the District of Columbia
1200 First St., NE 5th Floor
Washington, DC 20002
Desk: (202) 281-3963
Cell: (202) 805-1355
Web: doee.dc.gov
David

Sent: Thursday, December 03, 2015 1:28 PM

To: Seligman, Andrew <Seligman.Andrew@epa.gov>
Subject: RE: DC Aquaduct

From: Seligman, Andrew [mailto:Seligman.Andrew@epa.gov]

Sent: Thursday, December 03, 2015 1:27 PM

To: Pilat, David (DOEE) **Subject:** RE: DC Aquaduct

HI David,

I apologize, I have not yet sent out the 308. I have been extremely busy. I will draft it this week.

Andrew F. Seligman

Environmental Scientist & Enforcement Officer

NDPES Enforcement Branch

1650 Arch Street, 3WP42

Philadelphia, Pennsylvania

19103

(215)814-2097

"The Wind and Waves are always on the side of the ablest Navigators"

Edward Gibbon, English Historian 1734-1794

"There is no education like adversity"

Benjamin Disraeli, British Prime Minister

From: Pilat, David (DOEE) [mailto:david.pilat@dc.gov]

Sent: Thursday, December 03, 2015 1:25 PM

To: Seligman, Andrew < <u>Seligman.Andrew@epa.gov</u>>

Cc: Rodriguez, Joshua (DOEE) < joshua.rodriguez@dc.gov>

Subject: FW: DC Aquaduct

Mr. Seligman,

Is there any update on the 308 information request letter that was being prepared for the Washington Aqueduct (NPDES # DC0000019)? Any information will be helpful.

Thank you,

David Pilat

Environmental Protection Specialist

Water Quality Division

Department of Energy & Environment

Government of the District of Columbia

1200 First St., NE 5th Floor

Washington, DC 20002

Desk: (202) 281-3963

Cell: (202) 805-1355

Web: doee.dc.gov

Come to <u>EdFEST</u>, DC's citywide school fair, on Saturday, December 12 from 11:00am to 3:00pm at DC Armory (2001 E Capitol St SE). Explore 200+ DCPS and public charter school options for your child. Bring the whole family – fun activities for all!

From: Pilat, David (DOEE)

Sent: Monday, September 21, 2015 3:35 PM

To: seligman.andrew@epa.gov

Subject: DC Aquaduct

Mr. Seligman,

The information DOEE would like to receive from the Aqueduct is as follows:

- Please provide an estimated amount of solids that have been deposited, dredged or accumulated in Georgetown Sedimentation Basin #1 and #2 since the completion of cleaning in February 2015.
- Please provide a status update on modifications or improvements made to the sediment removal barges to ensure adequate removal of solids deposited in the Georgetown Sedimentation Basins.

Thank you,

David Pilat

Environmental Protection Specialist

Water Quality Division

Department of Energy & Environment

Government of the District of Columbia

1200 First St., NE 5th Floor

Washington, DC 20002

Desk: (202) 281-3963

Cell: (202) 805-1355

Web: doee.dc.gov